



Delivery RobotT2

COMMERCIAL SERVICE



Big Enough Strong Enough

With 160 liters of large capacity, 50 kg of large load, atmospheric and practical square body, more powerful motor configuration.
T2 can be called as model of strength among food delivery robots, allowing uninterrupted service and a better experience.

160L

50KG



Enclosed cabin

Safer delivery

With the brand-new enclosed structure and automatic cleaning of the inner cabin, it could achieve zero contact and zero pollution during the dish distribution process, and cut off droplets, customers are more assured.



Double waterproof

Enjoy a clean experience


The IPX5 level waterproof inner cabin, without fear of all kinds of liquid invasion, keeps the body clean as new; excellent water-resistant shell, realizes waterproof, dust-proof and oil-proof.



Robust chassis

Core value

The vehicle-grade robot chassis has super-strong obstacle jumping ability and obstacle avoidance ability, thus ensuring autonomous adaptation to a variety of complex ground environments and smooth and safe two-way operation.



Versatile All in one

Meal delivery mode

Multi-layer adjustable oversized pallets can flexibly meet different distribution needs.



Reception mode

Large space, multiple tables can be recycled at one time, alleviating the busy peak period of the restaurant and realizing rapid table turnover.



Parameter

Size 590*470*1315mm	Rated power 50W
Pallet size 570*420*253(Three Floors)	Stand-by Current <0.5A
Product Weight	Battery life
Load The bottom layer is 20kg, and the other single layer is 10kg	Standby time >48h
Maximum walking speed 1m/s	Operating life 20000h
Maximum climbing angle ≤5°	Network Interface Wi-Fi/4G/Bluetooth
Battery Capacity DC 48V 12Ah	Charging mode Automatic / manual

